


BALE TRAILERS



The AW range of Bale Trailers have High Specification Running Gear and a Strong, Wide Parallel Chassis manufactured from PFC or RHS.

They are suitable for carrying a wide range of materials, these include bales, boxes or pallets.



Stock containers are available to suit the Bale Trailer range. We can also manufacture a Bale Trailer to suit any existing Stock container if required.

STANDARD FEATURES

- Fixed Headboard
- 4.5mm Thick Treadplate floor
- Hydraulic Brakes & Ratchet Parking Brake
- Heavy Duty Multi-Leaf Sprung Axles
- Removable Skid
- Shot Blasted
- Removable Bale Ladders
- Maintenance Free LED Lights
- Front Access Step Mounted Front Nearside
- Laser cut side rails with lashing points
- 2 Pack Primer & Top Coat

OPTIONAL EXTRAS

- Sprung Drawbar
- LED Rear Beacon
- Retractable Bale Frame/ Extension
- Extra Bed Length
- Hydraulic Side Platform
- ABS
- 435/50 R19.5 Tyre Upgrade
- 2-line Air Brakes with Load Sensing
- Strap/Rope Box
- Timber Floor (Hardwood/Softwood)
- Adjustable Bale Extension
- Goal Post Rear Ladder
- Hydraulic Box Pusher



	6.5T 18ft Bale	10T 22ft Bale	10T 26ft Bale	11T 26ft Bale	12T 26ft Bale	Ultima 16T 26ft Bale	Ultima 18T 28ft Bale	Ultima 24T 32ft Bale
Bed (Internal) (A)	5485mm /18'	6705mm /22'	7925mm /26'	7925mm /26'	7925mm /26'	7925mm /26'	8535mm /28'	9755mm /32'
Width	2500mm /8'2"	2500mm /8'2"	2500mm /8'2"	2500mm /8'2"	2500mm /8'2"	2500mm /8'2"	2500mm /8'2"	2500mm /8'2"
O/a Length (B)	6850mm /22'6"	8230mm /27'	9450mm /31'	9450mm /31'	9450mm /31'	9450mm /31'	10060mm /33'	11280mm /37'
Loading Height (C)	1035mm /3'5"	1035mm /3'5"	1035mm /3'5"	1170mm /3'10"	1215mm /3'10"	1090mm /3'7"	1090mm /3'7"	1090mm /3'7"
Wheel Position (D)	3755mm /12'4"	4490mm /14'9"	5305mm /17'5"	5305mm /17'5"	5305mm /17'5"	5305mm /17'5"	5405mm /17'9"	6005mm /19'8"
Chassis	180 x 75 PFC	200 x 75 PFC	200 X 75 PFC	230 X 75 PFC	250 X 150 RHS	250 X 150 RHS	250 X 150 RHS	250 X 150 RHS
Axle Size	80mm 6 Stud (Single)	80mm 6 Stud (Tandem)	80mm 6 Stud (Tandem)	80mm 8 Stud (Tandem)	127mm 10 Stud Commercial (Tandem)	127mm 10 Stud Commercial (Tandem)	127mm 10 Stud Commercial (Tandem)	127mm 10 Stud Commercial (Tri Axle)
Brake Size	300 x 60	300 x 60	300 x 60	350 x 60	406 x 120	420 x 180	420 x 180	420 x 180
Wheel Track	2000mm 79"	2000mm 79"	2000mm 79"	2000mm 79"	2000mm 79"	2000mm 79"	2000mm 79"	2000mm 79"
Tyre Size	12.5 /80 x 15.3	12.5 /80 x 15.3	12.5 /80 x 15.3	385 65R22.5	385 65R22.5	435 /50R19.5	435 /50R19.5	435 /50R19.5